



Typical Exterior Elevations

INSWING CASEMENTS / FIXED


Scale: Not To Scale




680-11-IC



680-21-FR-IC



680-22-IC-FX



680-22-FR-IC-FX



Typical Details



INSWING CASEMENTS / FIXED

Scale: Half Scale

PAGE 2 OF 5

KEY (TYPICAL)

1. SNAP IN ALUMINUM GLAZING BEAD
2. WEDGE GASKET
3. 1" GLASS AND GLAZING (BY OTHERS)
4. WEATHER STRIPPING
5. METRO CASEMENT HINGE
6. METRO HANDLE (OTHER OPTIONS AVIABLE)





28 Canal Street, Ellenville, NY 12428

Phone (845) 647-1900


Typical Details

INSWING CASEMENTS / FIXED


Scale: Half Scale



A&B TYPICAL HINGED JAMB



C TYPICAL LOCKING JAMB



D TYPICAL HEAD


E TYPICAL SILL




Typical Details

INSWING CASEMENTS / FIXED


Scale: Half Scale



F TYPICAL FRENCH MEETING RAIL



G TYPICAL VERTICAL MUNTIN





H TYPICAL HORIZONTAL MUNTIN



Typical Details



INSWING CASEMENTS / FIXED

Scale: Half Scale



J&K TYPICAL FIXED HEAD & SILL

L&M TYPICAL FIXED JAMB



N TYPICAL STACKING MULLION

P TYPICAL JOINING MULLION

