



## Typical Exterior Elevations

FIXED


Scale: Not To Scale




HR4511-FX



HR4521-FX



HR4522-FX2 ARCH




HR4522-FX2




## KEY (TYPICAL)

1. SNAP IN ALUMINUM GLAZING BEAD (OTHER OPTIONS AVAILABLE)
2. EXTRUDED SILICONE WEDGE GASKET (BY OWM)
3. GLASS AND GLAZING (BY OTHERS)
4. SILICONE CAP BEAD (BY OTHERS)
5. FOAM GLAZING TAPE (BY OTHERS)




INTERIOR



EXTERIOR



INTERIOR




EXTERIOR




EXTERIOR

INTERIOR



EXTERIOR


INTERIOR



## Typical Details

**FIXED**  
Scale: Half Scale

INTERIOR




EXTERIOR

**E** **TYPICAL VERTICAL MUNTIN**

EXTERIOR


INTERIOR



**F** **TYPICAL HORIZONTAL MUNTIN**


EXTERIOR

INTERIOR



**G** **TYPICAL STACKING MULLION**

INTERIOR




**H** **TYPICAL JOINING MULLION**



### OPTIONAL FLANGE FRAME


INTERIOR



EXTERIOR

**1** TYPICAL EXTERIOR FLANGE

INTERIOR




EXTERIOR

**2** TYPICAL FIXED INTERIOR FLANGE

### OPTIONAL SHORT LEG FRAME

INTERIOR



EXTERIOR

**1** TYPICAL SHORT LEG FRAME

